

# Pecyn Cyhoeddus

Cyngor Bwrdeistref Sirol Wrecsam/ Wrexham County Borough Council  
Neuadd y Dref, Wrecsam. LL11 1AY  
Guildhall, Wrexham. LL11 1AY  
www.wrecsam.gov.uk [www.wrexham.gov.uk](http://www.wrexham.gov.uk)  
Cyfnewid Testun/Text Relay: 18001



Eich Cyf/Your Ref  
Ein Cyf/Our Ref  
Dyddiad/Date  
Gofynner am/Ask for  
Rhif Cyswllt/Contact No  
E-bost/E-mail

29 Gorffennaf, 2019

Annette Sellwood

01978 292242

[annette.sellwood@wrexham.gov.uk](mailto:annette.sellwood@wrexham.gov.uk)

Annwyl Gyngorydd

## **Pwyllgor Cynllunio - Dydd Llun, 29 Gorffennaf 2019**

Rwy'n cyfeirio at yr Agenda ar gyfer y Cyfarfod uchod a ddosbarthwyd yn ddiweddar ac rwyf bellach yn amgáu y canlynol:

### **Atodiad**

Yn gywir

A handwritten signature in cursive script that reads 'Sioned Wyn Davies'.

Sioned Wyn Davies  
Prif Swyddog Llywodraethu a Chwsmeriaid  
Chief Officer Governance & Customer



# Eitem 4

## WREXHAM COUNTY BOROUGH COUNCIL PLANNING COMMITTEE MEETING OF 29<sup>th</sup> JULY 2019

### ADDENDUM REPORT OF THE CHIEF OFFICER PLANNING AND REGULATORY

*This report summarises information received since the Agenda was compiled including, as appropriate, suggested amendments to recommendations in the light of that information. It also lists those people wishing to address the Committee.*

*Where the Council has received a request to address the Committee, the applications concerned will be considered first in the order indicated in the table below. The remaining applications will then be considered in the order shown on the original agenda unless indicated by the Chair.*

#### **ITEM 4 – DEVELOPMENT CONTROL APPLICATIONS**

Page Nos	Community	Planning Ref	Speaker Against	Speaker For
11 – 38	GRE	P/2018/1063	√	√
39 – 52	ABE	P/2018/1086		√
53 – 71	ABE	P/2018/1087		√
73 – 75	ROS	P/2019/0109		√
105 – 109	BAN	P/2019/0458	√	

#### **Pages 11 – 38 GRE P/2018/1063**

#### **Land West of Bryn Isa, Vicarage Lane, Gresford, Wrexham**

**SPEAKER(S)**      **AGAINST:** Andrew Bailey (Rep. Residents Group)

**FOR:** Justin Paul (Agent)

#### **Applicants Submission**

The applicant has submitted the following additional plans and documents:-

- 1:500 Street Scene Elevations
- 1:200 Site Entrance Approach
- 1:500 Swept Path Analysis Rev C
- 1:500 Standard Soft Landscape Proposals July 2019
- Examples of Historic Village Centres with Lanes without Pavements Document

The Street Scene Elevations and Site Entrance Approach have been altered to reflect the slight relocation of Plots 7 – 8.

The Swept Path Analysis is for the internal layout of the site.

The Landscape Proposals have been updated to reflect the most recent submission, being July 2019.

The submitted document outlines two other villages in the County which do not have continuous footway links.

## **Consultations**

Trees – Further to the response provided by the Tree Officer, conditions are recommended to secure a landscaping scheme, retention of the hedgerow along the south and south western boundaries, submission of Arboricultural Method Statement, details of Arboricultural Supervision and permanent retention of trees, shrubs and hedgerows.

## **Representations**

CPRW – Object to the application. Concerns raised include loss of BMV land.

Adjoining Local Member – Objects to the application. Alyn Family Doctors is at capacity, the application does not accord with UDP Policy GDP2.

Llay Community Council – Object to the application. Concerns raised relating to the impact of the development on Alyn Family Doctors which is at capacity, the proposal conflicts with UDP Policy GDP2.

*2 no. representations received from neighbouring properties (1 no. comprising a representation from Alyn Family Doctors). The surgery is at capacity, the proposal fails to represent very exceptional circumstances for development in green barrier, the proposal is contrary to highway policies, an application for development of 49 houses at Pont Adam Crescent in Ruabon was dismissed at appeal on highway safety grounds, the Inspector in the appeal decision at Pont Adam Crescent stated that a 12.5% increase in traffic volume would be 'significant' and 'prejudicial to highway safety', this application generates an increase in traffic volume of 35.14% at AM peak hours and 23.76% - 31.68% at PM peak hours.*

## **Observations**

### **Additional Plans & Documents**

The additional plans submitted by the agent are considered to be acceptable and do not raise new issues requiring further discussion and comments in the report. Condition 2 has been updated to include reference to the additional plans mentioned above.

The submitted document has included aerial maps of Brymbo and Ruabon as well as photographs, outlining the lanes without footways. This is available to view on the file.

*Each application is determined on its own merits. The highway safety issues discussed in the main body of the report remain unchanged, in that whilst the Highway Authority state that the increase in traffic along the lane would be significant, they do not state how this would be harmful to highway safety.*

## **Trees**

With the exception of the conditions to secure landscaping and retention of existing trees, shrubs and hedgerows which have already been added as conditions, the conditions requested by the Tree Officer are considered to be reasonable and would be added to any grant of planning permission.

## **Impact on healthcare/local surgery**

There is no UDP Policy or Local Planning Guidance Note that imposes specific requirement for developers to provide or make contributions towards healthcare facilities. There is also no statutory requirement to consult the Health Board regarding planning applications. Capacity issues at local surgeries is considered to be a separate matter, outside the scope of this planning application.

## **Recommendation**

Remains unchanged subject to the inclusion of the above mentioned plans in condition 2, the additional conditions relating to trees and the addition of 'RECOMMENDATION D' at the end of the report, outlined below.

## **RECOMMENDATION D**

That if the Obligation pursuant to Section 106 of the Town and Country Planning Act 1990 is not completed within six months of the date of the Committee Resolution, the Chief Officer Planning & Regulatory is given delegated authority to REFUSE planning permission and to determine the final form and content of the reasons for refusal.

## **Conditions**

2. The development shall only be carried out in strict accordance with the details shown on the approved drawing(s) referenced:-

### Site Layout

Dwg No. PL-001 Location and Block Plan  
Dwg No. PL-002 Rev J (1:500 Proposed Masterplan)  
Dwg No. PL-003 Rev A (1:200 Site Entrance Approach)  
Dwg No. PL-035 (1:500 Schematic Site Sections)  
Dwg No. PL-036 Rev A (1:500 Vicarage Lane Elevations)  
Dwg No. 2479-01-SK03 Rev C (1:500 Swept Path Analysis)  
Dwg No. 2479-01-SK02 (Proposed Site Access and Off-Site Footway Improvement Scheme)  
Dwg No. 08/101/02 Rev v2.6 (1:500 Soft Landscape Proposals) July 2019

### House Types

Dwg No. PL-005 (1:50 1 Bed Apt Elevations)  
Dwg No. PL-004 (1:50 1 Bed Apt Floor Plans)  
Dwg No. PL-006 (1:50 Kendal Floorplans)  
Dwg No. PL-007 (1:50 Kendal Elevations)  
Dwg No. PL-008 (1:50 Denbigh/Holt Floorplans)  
Dwg No. PL-009 (1:50 Denbigh/Holt Elevations)  
Dwg No. PL-010 (1:50 Beaumaris Floorplans)  
Dwg No. PL-011 (1:50 Beaumaris Elevations)  
Dwg No. PL-012 (1:50 Beaumaris Hybrid Floorplans)  
Dwg No. PL-013 (1:50 Beaumaris Hybrid Elevations)  
Dwg No. PL-014 (1:50 Conwy Floorplans)  
Dwg No. PL-015 (1:50 Conwy Elevations)

Dwg No. PL-016 (1:50 Rhuddlan Floorplans)  
Dwg No. PL-017 (1:50 Rhuddlan Elevations)  
Dwg No. PL-018 (1:50 Harlech Floorplans)  
Dwg No. PL-019 (1:50 Harlech Elevations)  
Dwg No. PL-020 (1:50 Chirk Floorplans)  
Dwg No. PL-021 (1:50 Chirk Elevations)  
Dwg No. PL-022 (1:50 Chirk Hybrid Floorplans)  
Dwg No. PL-023 (1:50 Chirk Hybrid Elevations)  
Dwg No. PL-024 (1:50 Powis Floorplans)  
Dwg No. PL-025 (1:50 Powis Elevations)  
Dwg No. PL-026 (1:50 HT 1 Floorplans)  
Dwg No. PL-027 (1:50 HT 1 Elevations)  
Dwg No. PL-028 (1:50 HT 2 Floorplans)  
Dwg No. PL-029 (1:50 HT 2 Elevations)  
Dwg No. PL-030 (1:50 HT 3 Floorplans)  
Dwg No. PL-031 (1:50 HT 3 Elevations)  
Dwg No. PL-032 (1:50 HT 4 Floorplans)  
Dwg No. PL-033 (1:50 HT 4 Elevations)

Reason: To define the scope of the planning permission.

16. The existing hedgerows along the south and south-west boundaries shall be permanently retained and shall not be cut down, grubbed out or otherwise removed or topped or lopped so that the height falls below 2.5 metres at any point without the prior written permission of the Local Planning Authority. If any parts of the hedgerows are removed without permission, die or become diseased, they shall be replaced by hedgerows of such size and species and within a timescale all to be approved in writing by the Local Planning Authority.

Reason: To protect landscape features which are of significant amenity value in the area and which would ensure a satisfactory standard of appearance of the development.

17. No part of the development shall commence until a detailed Arboricultural Method Statement has been submitted to and approved in writing by the Local Planning Authority. No development or other operations shall take place except in strict accordance with the Method Statement as is approved. The Method Statement shall include the following:

- a) A specification for tree protection fencing and ground protection measures that comply with British Standard 5837:2012;
- b) A Tree Protection Plan showing the location of the trees to be removed and retained with their crown spreads, Root Protection Areas, Construction Exclusion Zones, and location of protective fencing and ground protection measures accurately plotted;
- c) A full specification for any access, driveway, path, underground services or wall foundations within retained tree Root Protection Areas or Construction Exclusion Zone, including any related sections and method for avoiding damage to retained trees;
- d) Details of general arboricultural matters including proposed practices with regards to cement mixing, material storage and fires;
- e) Details of the frequency of supervisory visits and procedures for notifying the findings of such visits to the Local Planning Authority;

- f) Method for protecting retained trees during demolition works;
  - g) Details of all proposed tree works, including felling and pruning.
- Reason: To ensure the work is carried out to accepted arboricultural practices for the long term well-being of the tree(s).

Reason: To ensure the work is carried out to accepted arboricultural practices for the long term well-being of the tree(s).

**Pages 39 – 52      ABE   P/2018/1086**

**Storage Lane at Clywedog Road North, Wrexham Industrial Estate, Wrexham**  
SPEAKER                      FOR: Justin Paul (Agent)

**Pages 53 – 71      ABE   P/2018/1087**

**Land opposite Wilkinson Business Park, Clywedog Road South, Wrexham Industrial Estate, Wrexham**  
SPEAKER                      FOR: Justin Paul (Agent)

**Pages 73 – 75      ROS   P/2019/0109**

**Haytor, 4 Park Lane Court, Rossett, Wrexham**  
SPEAKER                      FOR: Simon Kettle (Agent)

**Observations**

Adjoining Occupiers:              Re-notified 10.07.2019. No written observations received.

**Recommendation**

*Remains unchanged*

**Pages 83 – 86      GRE   P/2019/0222**

**Lark Rise, 20 Wynnstay Lane, Marford, Wrexham**  
SPEAKER                      FOR: Stuart Hatherall (Agent)

**Pages 105 – 109    BAN   P/2019/0458**

**5 Haydock Road, Bangor on Dee, Wrexham**  
SPEAKER                      AGAINST: George Tranter (Neighbour)

---

**ALL OTHER ITEMS TO BE SHOW IN THE ORDER OF THE ORIGINAL AGENDA**

**Pages 77 – 81      ERB   P/2019/0185**

**The Boat Inn, Erbistock, Wrexham**

**Applicant's submission**

*Amended plans have been received which show additional detail in relation to the construction specification of the proposed glazed roof. The plans also specify materials to be used on the existing roof section to be replaced and as well as the extensions at the rear of the building*

**Observations**

*The amendments and specification details have been considered acceptable by the Conservation Officer. As such, there is no longer a requirement to include a condition seeking further roof design detail or the submission of facing material samples. This is reflected in the recommendation below*

### **Recommendation**

*Amend condition 2 to read:*

*2. The development shall only be carried out in strict accordance with the details shown on the approved drawing(s) numbered:*

*B200 - Proposed site plan*

*B201 Rev A - Proposed Ground Floor and Basement plans*

*B202 Rev B - Proposed first floor and roof plans*

*B203 Rev A - Demolition and alterations plan*

*B204 Rev A - Proposed Elevations*

*B207 Rev A - Proposed site plan and landscaping and boundary treatments*

*B208 - Proposed ground floor and first floor finishes Plans*

*B209 - Proposed door schedule and details*

*B210 - Proposed window schedule and details*

*B211 - Kitchen and WC extensions coping details*

*B212 - External staircase and balustrade details*

*and as contained within the application documentation.*

*Reason: To comply with section 71ZA (2) of the Town and Country Planning Act 1990.*

*Delete conditions 3 and 4 and renumber the remaining conditions accordingly.*

**Pages 101 – 103    ROS    P/2019/0457**  
**7 Shordley Close, Rossett, Wrexham**

### **Consultations**

*Community Council – No objections to the application.*

*Anticipated objection from neighbouring properties were not submitted.*

### **Observations**

*The extension will have minimal adverse impact on the neighbouring properties and is acceptable for the location.*

### **Recommendation**

*Recommendation remains unchanged.*

**Pages 111 – 116    CHI    P/2019/0486**  
**Land to the North of Station Avenue, Chirk, Wrexham**



## **Representations**

Highways - The submitted plan shows the proposed signs are located behind the visibility splay from the new access. There are no recommendations on highway grounds in this instance.

## **Recommendation**

Remains unchanged.

